



AD-E300 185

9 9 62 AD AO

A053 468 MEASUREMENTS OF BLAST PRESSURES ON A RIGID 65° **SWEPTBACK WING AT MACH 0.76** FROM ROCKET PROPELLED SLED TESTS

Volume II - Supplementary Data

Kaman AviDyne 83 Second Avenue Burlington, Massachusetts 01803

20 June 1977

Final Report for Period October 1975-May 1977


CONTRACT No. DNA 001-76-C-0106

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED.

THIS WORK SPONSORED BY THE DEFENSE NUCLEAR AGENCY UNDER RDT&E RMSS CODE B342077464 N99QAXAE50101 H2590D.

Prepared for

Director DEFENSE NUCLEAR AGENCY Washington, D. C. 20305



DNA 4400F-2

Destroy this report when it is no longer needed. Do not return to sender.



SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) READ INSTRUCTIONS
BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE GOVT ACCESSION NO. ESPIENT'S CATALOG NUMBER 4400F-2, AD-E300 185 MEASUREMENTS OF BLAST PRESSURES ON A RIGID 650 Deg SWEPTBACK WING AT MACH Ø.76 FROM ROCKET PROPELLED Volume II. Supplementary Data. 7. AUTHOR(S) J. Ray Ruetenik DNA ØØ1-76-C-Ø1Ø6 Robert F. Smiley PERFORMING ORGANIZATION NAME AND ADDRESS PROGRAM ELEMENT, PROJECT, TASK Kaman AviDyne 83 Second Avenue Burlington, Massachusetts 01803 11. CONTROLLING OFFICE NAME AND ADDRESS Director 29 June 2077 Defense Nuclear Agency 27044 228 Washington, D.C. 20305

14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) 15. SECURITY CLASS (of this report) UNCLASSIFIED 2280 15a. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES This work sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B342077464 N99QAXAE50101 H2590D. 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Blast Pressure Aircraft Sweptback Shock Experimental Test Wing Subsonic Sled Test Explosives 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Interaction of a blast wave with a highly sweptback wing model was measured in a series of three sled tests, performed on the 50,788-foot track at Holloman Air Force Base in July and August of 1976. The sled, traveling at Mach 0.76, was intercepted progressively by blast waves produced from the sequential detonation of three charges of TNT. DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

194 970

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## UNCLASSIFIED

## SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

## 20. ABSTRACT (Continued)

The model consisted of a sting-mounted wing and fuselage combination. Wing properties were: 46.80-in. span, 18.95-in. mean chord, 2.47 aspect ratio, 0.29 taper ratio, 67 deg. leading edge sweepback, 64.8 deg. quarter-chord sweepback, and a 64A012 wing section. Blast induced loadings were measured at 20 locations on the wing for blast intercept overpressures of about 2 and 4 psi for blast intercept angles of about 20, 90, and 135 degrees from head-on.

A preliminary analysis of the test data indicates the existence of some nonlinear blast-induced loads on the model appreciably greater than would be expected on the basis of linearized aerodynamic theory.

Volume 1 of this report describes the tests, and presents and discusses the reduced test data. Volume 2 presents a complete set of the wing pressure time histories in working size plots.



UNCLASSIFIED

## INTRODUCTION

This volume presents large size supplementary plots of the wing pressure transducer test data obtained during the sled tests described in Volume 1 of this report, most of which data are presented in greatly reduced size for one time scale in the first parts of Figures 17, 21, 25, 29 and 33 of Volume 1. These data consist of plots of time histories of pressures on the test wing for the various test conditions described in Volume 1. These pressure time histories are generally presented for two time-scales. An index of these figures is given as Table 1. Reference should be made to Volume 1, particularly Sections 2 to 4, for a detailed explanation and identification of all test conditions, transducer locations, and data interpretation. However, for the convenience of users of this volume, Figure 1 and Table 2 are repeated here from Volume I to indicate the locations of all transducers in the wing model. Table 2 also indicates the types of measurements made at each location.

TABLE I
INDEX OF TEST DATA

Run	Intercept No.	Figure No.
9B-A1	2	2
9B-A2	1	3
9B-A2	2	4
9B-A2	3	5
9B-A3	1	6

DISTRIBUTION/AVAILABILITY CODES	NTIS	White Section W
USTIFICATION	DDC	Buff Section
BYBSTRIBUTION/AVAILABILITY CODES	UNANNOUNCE	0 0
DISTRIBUTION/AVAILABILITY CODES	USTIFICATIO	N N
	BY	
	DISTRIBUTION	AVAILABILITY CODES  L and/or SPECIAL
	DISTRIBUTION	
A	and the second s	




Figure 1. Sketch of Wing and Fuselage Model Showing Pressure Measurement Stations

TABLE 2
PRESSURE MEASUREMENTS ON THE WING

Transducer location,	Measurement recorded during Run:		
%semispan/%chord (Fig. 1)	9B-A1	9B-A2	9B-A3
20/25	D,B,L	L	D
30/25	D	D,B,L	D,B,L
40/05	D	D	D
40/25	D	D	D
40/45	D	D	D
40/65	D	D	D
40/85	D	D	D <sub>L</sub>
50/25	D	D	D Bb,€ D
60/05	D	Dha	D
60/25	D	D?b,d	D
60/45	D	D	D
60/65	D	D	D
60/85	D	D	D
70/25	D	D	D
80/05	D	D	D
80/25	D	D	D
80/45	D	D	D
80/65	D,	D	D
80/85	D?b,c	D	D
90/25	D?b,c	L I	D


<sup>&</sup>lt;sup>a</sup>D for differential pressure, B for blastward pressure, L for leeward pressure.

bTransducer set up to measure differential pressure, but would indicate blastward pressure only if leeward transducer fails, or vice versa.

CBlastward transducer inoperative after run completion; operative during pre-run calibration.

d Leeward transducer inoperative after run completion; operative during pre-run calibration.

eLeeward transducer inoperative just before sled run.



Wing Pressures, Run 9B-Al, Intercept 2,  $\varphi$  = 87.6 deg.,  $\Delta p_{\rm g} =$  2.1 psi. Figure 2.




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)

Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)

30




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Continued)




Figure 2. (Concluded)




Figure 3. Wing Pressures, Run 9B-A2, Intercept 1,  $\phi$  = 20.1 deg.,  $\Delta p_{\rm s}$  = 2.0 psi.




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)






Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)






Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)






Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)






Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)






Figure 3. (Continued)




Figure 3. (Continued)







Figure 3. (Continued)








Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Continued)




Figure 3. (Concluded)






Figure 4. Wing Pressures, Run 9B-A2, Intercept 2,  $\phi$  = 90.3 deg.,  $\Delta p_{\rm S}$  = 4.0 psi.





LEE SIDE PRESS 20/25 (PSI) (1.0/CM)

MISSION: 98-828 7 BY ORDINATES MULTIPLY TITLE: LEE SIDE PRESS 20/25 VS TIME 5 19.9 2.0






Figure 4. (Continued)




Figure 4. (Continued)





Figure 4. (Continued)






Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)






Figure 4. (Continued)




Figure 4. (Continued)








Figure 4. (Continued)










Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)





Figure 4. (Continued)






Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)




Figure 4. (Continued)






Figure 4. (Continued)




Figure 4. (Continued)







Figure 4. (Continued)






Figure 4. (Continued)




Figure 4. (Continued)






Figure 4. (Concluded)




Figure 5. Wing Pressures, Run 9B-A2, Intercept 3,  $\varphi$  = 134.9 deg.,  $\Delta p_{\rm s} = 2.0~{\rm psi}$ .





Figure 5. (Continued)








Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)





Figure 5. (Continued)








Figure 5. (Continued)




Figure 5. (Continued)





Figure 5. (Continued)






Figure 5. (Continued)




Figure 5. (Continued)

Figure 5. (Continued)




Figure 5. (Continued)

5.85




Figure 5. (Continued)





Figure 5. (Continued)

154










Figure 5. (Continued)






Figure 5. (Continued)




Figure 5. (Continued)






Figure 5. (Continued)




Figure 5. (Continued)





Figure 5. (Continued)



162

Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)

Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)






Figure 5. (Continued)




Figure 5. (Continued)

5.888

PRESS.80/05 (PSI) (1.0/CM)

DATES 3 AUG 76






Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)

Figure 5. (Continued)




Figure 5. (Continued)




Figure 5. (Continued)





Figure 5. (Continued)






Figure 6. Wing Pressures, Run 9B-A3 Intercept 1,  $\phi$  = 20.1 deg.,  $\Delta p_{\rm s} = 3.6$  psi.




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)






Figure 6. (Continued)



## 3 OF AD A062365



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-4




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)

Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)




Figure 6. (Continued)

## DISTRIBUTION LIST

#### DEPARTMENT OF DEFENSE

Director

Defense Nuclear Agency

ATTN: TISI Archives
ATTN: STSP

ATTN: DDST

ATTN: SPAS

3 cy ATTN: YITL, Tech. Lib

Under Sec'y of Def. for Rsch. & Engrg.

ATTN: SESS (OS)

Commander, Field Command Defense Nuclear Agency

ATTN: FCPR

Livermore Division, FCDNA

Lawrence Livermore Laboratory

ATTN: FCPRL

Defense Documentation Center

Cameron Station 12 cy ATTN: TC

#### DEPARTMENT OF THE ARMY

Commander

Harry Diamond Laboratories

ATTN: DRXDO-RBH, James H. Gwaltney ATTN: DRXDO-NP

Director

U.S. Army Ballistic Research Labs.

ATTN: DRXBR-X, Julius J. Meszaros

Commander

U.S. Army Materiel Dev. & Readiness Cmd.

ATTN: DRCDE-D, Lawrence Flynn

Commander

U.S. Army Nuclear Agency

ATTN: MAJ J. Vecke ATTN: COL Deverill

### DEPARTMENT OF THE NAVY

Chief of Naval Material

ATTN: MAT 0323

Chief of Naval Research

ATTN: Code 464, Thomas P. Quinn

Director

Naval Research Laboratory

ATTN: Code 2600, Tech. Lib

Officer-in-Charge

Naval Surface Weapons Center

ATTN: Ken Caudle

Commanding Officer

Naval Weapons Evaluation Facility

ATTN: Peter Hughes

## DEPARTMENT OF THE NAVY (Continued)

Director

Strategic Systems Project Office

ATTN: NSP-272

#### DEPARTMENT OF THE AIR FORCE

AF Materials Laboratory, AFSC

ATTN: MBC, Donald L. Schmidt ATTN: MBE

AF Weapons Laboratory, AFSC

ATTN: DYV, Lt Col Rensvold ATTN: SUL

Commander

4 cy ATTN: ENFS, D. Ward

Commander

Foreign Technology Division, AFSC

ATTN: PDBF, Mr. Spring

Commander in Chief

Strategic Air Command

ATTN: XPFS

#### DEPARTMENT OF ENERGY

Sandia Laboratories

ATTN: Doc. Control for D. McCloskey

## DEPARTMENT OF DEFENSE CONTRACTORS

Aerospace Corporation

ATTN: W. Barry

Avco Research & Systems Group

ATTN: William Broding ATTN: J. Patrick

The Boeing Company
ATTN: Robert Dyrdahl
ATTN: Ed York

Boeing Wichita Company

ATTN: D. Pierson ATTN: R. Syring

Effects Technology, Inc. ATTN: Richard Parisse

General Dynamics Corp.

ATTN: R. Shemensky

General Electric Company

TEMPO-Center for Advanced Studies

ATTN: DASIAC

Kaman AviDyne

Division of Kaman Sciences Corp.

ATTN: Norman P. Hobbs ATTN: J. Ray Ruetenik ATTN: Robert F. Smiley

## DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Kaman Sciences Corporation ATTN: Donald C. Sachs

Martin Marietta Corporation, Orlando Division ATTN: Gene Aiello

McDonnell Douglas Corporation ATTN: J. McGrew

Northrop Corporation ATTN: Don Hicks

Prototype Development Associates, Inc. ATTN: John McDonald

# DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

R & D Associates
ATTN: Albert L. Latter
ATTN: F. A. Field
ATTN: Jerry Carpenter

Rockwell International Corporation ATTN: R. Sparling

Science Applications, inc. ATTN: Dwane Hove

SRI International
ATTN: George R. Abrahamson